




## Castanea Series

Freezer Cabinets

Castanea Series contains Freezer Cabinets for generic use for the freezing of food with major characteristics such as longevity, robust construction & performance.

The generic and diverse character of its products address the vast majority of the needs of the modern Foodservice Professional, while at the same time, fully aligned with the current legislation, achieving energy savings and environmental-friendly operation.





# Castanea Series

## Freezer Cabinets

Castanea Series Cabinets are classified for their Energy Class. They are aligned with the European Union Legislation regarding Refrigerants, achieving energy efficient and environmental-friendly operation.

### Characteristics

-  70mm Door thickness and GN 2/1 opening (n/a in /SL models where the opening is smaller!) **1**
-  Frame heated with electric resistance **2**
-  New style Condenser with low maintenance requirements (For models with R290 refrigerant) **3**
-  Forced air circulation technology **4**
-  Injected polyurethane foam insulation **5**
-  Embedded thermostat for easy operation and cleaning. **6**
-  Available in 2 different depths of 868mm and 768mm **7**




### Transformation Kits & Accessories (Available separately)



**kit Patisserie**

With the use of kit patisserie, all standard depth Cabinets ( /SL models excluded) can accept Euronorm trays ( 60cm x 40cm) for Pastry and Bakery purposes.



**Stainless Steel Shelves**

Available for all Cabinets models and Serii, they are made of AISI 304 Stainless Steel.




**Hanging Kit**

With the use of the hanging kit, the preservation and also freezing of large cuts of meat as well as various meat products becomes easier.



**Shelves for Bottle Storage**

The bottle storage shelves having suitably designed wire density, are used for storing the majority of bottle shapes in the market in an upright position.



### Ideally for...

- General Use Freezer Applications ✓
- Small & Large Foodservice Applications ✓
- Demanding Environments ✓

Model	Dimensions mm	Capacity Lt	Doors	Shelves	Operating Temperature °C	Refrigerant	Energy Class	Climate Class	Compressor
<b>NEW</b> CBP172	720x868x2100	654	1	3	-22 / -10	R290	D	5	Embraco
CBS172	720x868x2100	654	1	3	-20 / 0	R404A	F	5	Embraco
<b>NEW</b> CBP172/SL	720x768x2100	560	1	3	-22 / -10	R290	D	5	Embraco
CBS172/SL	720x768x2100	560	1	3	-20 / 0	R404A	G	5	Embraco
<b>NEW</b> CFP2144	1440x868x2100	1432	2	6	-22 / -10	R290	E	4	Embraco
CFS2144	1440x868x2100	1432	2	6	-20 / 0	R404A	G	4	Embraco
<b>NEW</b> CFP2144/SL	1440x768x2100	1227	2	6	-22 / -10	R290	E	4	Embraco
CFS2144/SL	1440x768x2100	1227	2	6	-20 / 0	R404A	G	4	Embraco

