

# VERTICAL BUN TOASTER DOUBLE SLOT

manufacturing SINCE 1966



# Model: VTA0001



# **FEATURES**

- Compact small footprint
- Twin feed system
- 6 position thickness settings from process/heating surface.
- Heavy duty Stainless Steel wire conveyor belt system
- Precision cartridge bearing conveyor shafts for smooth operation.
- Bun exit chute reversible for front or rear access

- Low energy consumption 0,75kW/h (no load)
- Variable heating control from 50° - 250°C
- Energy efficient aluminium Heating Plate 2kW
- Ideal for fast food, franchises, etc.
- Top feed, easy loading
- Double wall top cover with air gap keeps contact surface safe for operator

### NOTE:

1x Teflon Release sheet that fits over plate element included



# THE CHEFS COMPANION

0.16m<sup>3</sup>

### Model: VTA0001

# 580 mm

# **SPECIFICATIONS**


POWER
VOLTAGE
PACKAGING (W x D x H)
UNIT (W x D x H)
NET WEIGHT
GROSS WEIGHT
SHIPPING VOLUME


2kW 230V - 50Hz 670 x 390 x 630 (mm) 580 x 336 x 570 (mm) 28kg 30.7kg

### **OPTIONAL EXTRAS**

#### **TEFLON SHEET**

CODE	DESCRIPTION
3-VTA-COFLON	Teflon sheet





## NOTE

When viewing the appliance from the front in it's usual operating position, the width (W) of the product is the total distance from left to right; the depth (D) of the product is the total distance from the front to the back; the height (H) is the total distance from the bottom of the product to the top. Pictures may vary from actual product.

### **DISCLAIMER**

Output performance figures quoted are dependent on various factors. Anvil reserves the right, without notice, to make changes and revisions to product specifications, materials and design, when we believe it will provide better performance, durability, and efficiency. Unit measurements may vary depending on point of reference.



www.anvilworld.com

**Published Date:** 2019.01.28