





FED-X 340L Single Glass Door Freezer - XF400SG

Quick Overview

- Gross Volume: 340L
- Max Ambient Temperature: (25°C, 60%RH)
- Temperature Range: -18 to -15 a"ƒ
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- · Refrigerated into fixed shelves for even cooling
- · Regular defrosting is necessary
- Static Cooling with fan for fridge, Static Cooling for freezer
- · Recessed Door Handle
- Natural and eco-friendly refrigerant

Â

Description

FED-X 340L Single Glass Door Freezer - XF400SG

Key Features

- Gross Volume: 340L
- Max Ambient Temperature: (25°C, 60%RH)
- Temperature Range: -18 to -15
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out

1

- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling with fan for fridge, Static Cooling for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

| Doors | 1 |
|--------------------------|--|
| Door Type | Hinged Doors |
| Body | Stainless Steel |
| Gross Volume | 340L |
| Max Ambient Temperature | 25°C, 60%RH |
| Temperature Range | -22 to -18 ° C |
| Total Energy Consumption | 5.6019 kWh/24h |
| Lids | 1 |
| Form Factor | Display |
| Lid Material | Glass |
| Net Weight (Kg) | 83 |
| Width (mm) | 600 |
| Depth (mm) | 585 |
| Height (mm) | 1850 |
| Packing Width (mm) | 646 |
| Packing Depth (mm) | 642 |
| Packing Height (mm) | 1990 |
| Power | 240V, 478W/10A |
| Warranty | 2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration |