



URL: https://www.foodequipment.com.au/media/catalog/product/f/r/frig_sandwich-bar_scb18_1.jpg

SCB/15 two door Deluxe Sandwich Bar

Quick Overview

- Two Door
7 × 1/3 pans
Stainless Steel interior & exterior
- "blown well"
 - cross-flow pan cooling
 - New modern style square S/S front
 - fridge has one level of shelving plus floor
 - enclosed pan area with easy-slide covers**
 - Aspera compressors
 - German ĘBM-Pabst fans
 - digital temp. control & read-out
 - Ambient 33°C & 75% RH
 - rounded internal corners for hygiene & easy cleaning
 - working area 230 mm deep
 - PE cutting board included
 - bench height 855 mm
 - R134a gas SCB/15; R404a SCB/18 & /21
 - fan-forced evaporator cooling
 - auto defrost
 - self evaporating drainage
 - castors

Completely removable refrigeration unit

** pans not included

*** sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

Description

- Two Door
7 × 1/3 pans
Stainless Steel interior & exterior
- "blown well"
 - cross-flow pan cooling
 - New modern style square S/S front
 - fridge has one level of shelving plus floor
 - enclosed pan area with easy-slide covers**
 - Aspera compressors
 - German ĘBM-Pabst fans
 - digital temp. control & read-out
 - Ambient 33°C & 75% RH
 - rounded internal corners for hygiene & easy cleaning
 - working area 230 mm deep
 - PE cutting board included
 - bench height 855 mm
 - R134a gas SCB/15; R404a SCB/18 & /21
 - fan-forced evaporator cooling
 - auto defrost
 - self evaporating drainage
 - castors

Completely removable refrigeration unit

** pans not included

*** sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	140
Width (mm)	1480
Depth (mm)	700
Height (mm)	1255
Packing Width (mm)	760
Packing Depth (mm)	1530
Packing Height (mm)	970
Power	240V; 440W